

OCEANIS 411

Specifications

Model:	Oceanis 411
LOA:	41' 8"
LWL:	36' 1"
Beam:	13' 0"
Draft:	4' 9"
Engine:	40 hp.
Fuel Capacity:	39 gal.
Water Capacity:	145 gal.
Mast Height (over water):	58' 5"
Hull / Designer:	Groupe Finot

CONSTRUCTION

HULL: Laminated G.R.P. hull with internal fiberglass grid, reinforced with unidirectional rovings.

- DECK: Balsa sandwich for stiffness, thermal and acoustic insulation. 360° bonded bulkheads.

RUNNING RIGGING

- Genoa halyard.
- Genoa sheets.
- Mainsheet.
- (1) Main boom topping lift led back to cockpit.
- Main halyard.
- Solid vang.
- Mainsheet traveler control lines.

STANDING RIGGING

- Discontinuous S/S 1X19 rigging: forestay, twin backstays, upper and lower capshrouds, intermediates and aft lower shrouds.
- Shroud roller on capshrouds.

SPARS

- Deck stepped, anodized aluminum roller furling mast.
- Anodized, aluminum boom.
- Deck collar with 6 blocks.
- Double aft swept spreaders.

DECK GEAR

- (2) Genoa sheet tracks.
- (2) Lewmar 48 CSTO genoa sheet winches, mounted on cockpit coaming.
- (2) Lewmar 40 CSTO halyard/control line winches.
- Profurl genoa roller furling with drum above deck.
- Mainsheet track on coachroof.
- Stoppers for mainsheet and traveler control lines.

OCEANIS 411

- (6) Stoppers for control lines.
- (2) Stoppers for main and genoa halyard on mast.
- Winch handles.

SAILS

- Roller furling mainsail.
- 140% Roller furling genoa.

MOORING & ANCHORING

- S/S bow fitting with (2) anchor rollers.
- (6) Aluminum mooring cleats.
- Self bailing anchor locker in the bow.
- Manual anchor windlass.

EXTERIOR EQUIPMENT HULL & DECK

- Transom/cockpit shower.
- Port cockpit locker.
- Starboard cockpit locker.
- LP gas locker aft port side of cockpit.
- Helmsman seat provides easy access to transom.
- Teak inlaid cockpit seats.
- Locker beneath helmsman' s seat to starboard.
- Halyard hangers aft of coachroof.
- Winch handle pockets.
- Built-in dodger coaming for easy installation of dodger.
- S/S handrails on coachroof.
- Side decks with molded raised bulwark with teak cap rail.
- Swim platform locker.

STEERING SYSTEM

- Carbon fiber composite rudder, rudder tube and quadrant.
- S/S leather wrapped steering wheel (42").
- Emergency tiller.

PLUMBING

- Self-draining cockpit.
- Manual bilge pump.
- Electric bilge pump.
- (2) Fiberglass fresh water tanks integrated into hull liner, total 158 gal.
- Hot water heater - 6 gal. capacity.
- (2) Rectangular S/S sinks in galley.
- Heads feature fiberglass wash hand basin with combination faucet and hand shower with shower hose and support.
- Fiberglass shower base with drain and electric shower drain pump

OCEANIS 411

ELECTRICAL SYSTEM

- Grounded rig.
- Conduit for standard and optional wiring.
- 12 v. multi-function control panel.
- 110 v. shore power socket on transom.
- 110 v. control panel at chart table.
- 7 x 110v. outlets.
- 40 amp battery charger.
- 2 batteries - 1 x 100 amp engine battery, 1 x 200 amp battery.
- Lights:
 - Flush mounted halogen lights.
 - Fluorescent light in galley and heads.
 - Reading light in each cabin.
 - Bi-color navigation light.
 - Stern light.
 - Anchor light.
 - Combination deck and steaming light.
 - Mini spot light white/red lens at chart table.

PROPANE GAS CIRCUIT

- Force Ten (2) burner stove with oven.

INTERIOR ACCOMMODATIONS:

FORWARD CABIN:

- Headroom 6' 3"
- Double berth (6' 7" x 4' 9")
- Shelf on hull, starboard side.
- (2) Drawers and (1) storage locker under the berth.
- Hanging locker.
- Settee and storage locker.
- Storage shelf on hull, port side.
- Cabinet/storage locker.
- 2 Cabin Version - Aft Cabin:
 - Headroom 6' 4"
 - Double berth 6' 7" x 6' 1" at shoulder.
 - Hanging locker.
 - Shelf on hull.
 - Seat forward of hanging locker.

3 CABIN VERSION

- Port & Starboard Aft Cabin
 - Headroom 6' 4"
 - Double berth 6' 7" x 4' 9" at shoulders.
 - Hanging locker
 - Shelf on hull.

OCEANIS 411

- Seat forward of hanging locker.

SALON:

- Maximum 6' 4" headroom.
- U-shaped dinette.
- (2) Lockers with louvered doors and glass rack above dinette.
- Storage locker behind dinette.
- Storage and access to plumbing and hot water heater under dinette.
- Expandable table with leaf, converts into double berth with filler cushion.
- AM/FM stereo/CD player with (4) speakers.

3 CABIN VERSION SALON:

- Central settee with storage underneath.

GALLEY:

- Max headroom 6' 4".
- Stove protection bar.
- Plastic storage baskets.
- Tableware drawer.
- Lockers above work space.
- Trash can.
- 2 Cabin Version Galley:
 - Formica countertop.
 - Front and top opening fiberglass icebox.
 - 12 v. refrigeration unit.
 - 12 v. freezer unit.
- 3 Cabin Version Galley:
 - Formica work space surrounding sink.
 - Formica counter above refrigerator behind stove.

CHART TABLE: (3 Cabin)

- Storage locker with shelf under chart table.
- Panel for installation of electronics.
- Navigators seat with storage underneath.

HEADS:

- Manual marine toilet with 13.5 gal. holding tank (aft head)
- Manual marine toilet 15 gal holding tank (fwd head).
- Fiberglass sink, medicine cabinet, mirror and toilet accessories.

COMPANIONWAY:

- Headroom 6' 5".
- 2-part, hinging, fiberglass companionway with gas spring for easy access to engine room.
- (2) Wooden handrails on companionway bulkheads.

OCEANIS 411

INTERIOR UPHOLSTERY

- Wood paneling on hull sides.
- Fiberglass headliner in heads.
- White vinyl headliner in salon and forward cabin.

BALLAST

- Shoal draft cast iron bulb keel (4' 9" draft).

ENGINE EQUIPMENT

- Westerbeke 40hp engine.
- 39 gal. fuel capacity.
- Aluminum fuel tank.
- Engine control panel on cockpit table.
- 3-Bladed fixed prop.
- Soundproof insulation in engine room.
- Engine raw water filter.
- Racor fuel/water separator.

VENTILATION

2 CABIN

- Opening port Lewmar (4" x 10") in cockpit opening into galley.
- Opening port Lewmar (4" x 10") in cockpit opening into aft port cabin.
- Fixed hull portlights (36 1/4" x 8 3/16") accessing into salon.
- Fixed hull portlight (16 9/16" x 8 3/16") accessing into aft port cabin.
- Fixed hull portlight (16 9/16" x 8 3/16") accessing into galley.
- Fixed hull portlights (16 9/16" x 8 3/16") accessing into forward cabin.

3 CABIN

- (2) Opening ports Lewmar (4" x 10") in cockpit opening into aft port and aft starboard cabins.
- Fixed hull portlight (36 1/4" x 8 3/16") accessing into salon.
- Fixed hull portlight (36 1/4" x 8 3/16") accessing into galley.
- Fixed hull portlight (16 9' 16" x 8 3/16") accessing into aft port cabin.
- Fixed hull portlight (16 9/16" x 8 3/16") accessing into aft starboard cabin.
- Fixed hull portlights (16 9/16" x 8 3/16") accessing into forward cabin.

COACHROOF All Versions

- Lewmar size 54 hatch opening into forward head.
- Lewmar size 30 hatches opening into forward cabin.
- Opening ports Lewmar size 0 opening into forward cabin.
- Low profile cowl vent ventilating aft port head.
- Opening port Lewmar size 1 opening into aft port head.
- Lewmar size 20 hatch opening into aft port cabin.
- Opening port Lewmar size 1 opening into aft port cabin.

OCEANIS 411

- PMMA sliding hatch opening into companionway and 2 weather boards.

COACHROOF 2 CABIN

- (2) Lewmar size 30 hatches opening into salon.
- (2) Opening ports Lewmar size 4 opening into salon.
- Low profile cowl vent ventilating galley.
- Lewmar size 20 hatch opening into galley.
- Opening port Lewmar size 1 opening into galley.
- Opening port Lewmar size 1 opening into galley.

COACHROOF 3 CABIN

- Lewmar size 30 hatch opening into salon.
- Opening port Lewmar size 4 opening into salon.
- Lewmar size 30 hatch opening into galley.
- Opening port Lewmar size 4 opening into galley.
- Low profile cowl vent on coachroof ventilating starboard chart table.
- Opening port Lewmar size 1 opening starboard chart table.
- Lewmar size 20 hatch opening into starboard chart table.
- Opening port Lewmar size 1 opening into starboard chart table.

INTERIOR WOODWORK

Cherry stained wood finish.

AVAILABLE VERSIONS

- 2 Cabins, 2 Heads.
- 3 Cabins, 2 Heads.

AVAILABLE OPTIONS

- Air Conditioning.
- Autopilot.
- Classic mast with full batten mainsail.
- Genneker Gear.
- Screens.
- Electric Windlass.
- Deep bulb keel (5' 7" draft).

CRUISING PACKAGE

- (Additional standard equipment shipped installed)
- Raytheon ST60 Tridata
- Raytheon ST60 Wind
- Standard Intrepid VHF with Antenna
- JVC Stereo
- JVC CD Multi-Changer
- Sternrail seats
- Microwave

OCEANIS 411

- Shore Power Cord
- Hot & Cold Cockpit Shower

The manufacturer reserves the right to alter equipment and specifications without notice.

All specifications are approximations and are not contractual in nature.